

SAFETY DATA SHEET

1. Identification

As of date: 2018

1. Identification		
Product identifier	Vison Floor Mud	
Other means of identification	None.	
Recommended use	Mortar.	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier	/Distributor information	
Supplier		
Company name	Vison Tech Products, LLC.	
Address	6464 Cunningham road	
	Houston, Texas 77041	
Telephone number	(832) 850-6085	
Fax	(281) 258-4114	
Contact name	Son Le	
Website	www.visontechproducts.com	
Emergency Number	(832) 850-6085	
2. Hazard(s) identification		
Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 1

OSHA defined hazards

exposure Not classified.

Sensitization, skin

Specific target organ toxicity, repeated

Carcinogenicity



Signal word	Danger
Hazard statement	Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. May cause cancer. May cause respiratory irritation. May cause damage to organs (Lung) through prolonged or repeated exposure.
Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.
Response	If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.
Storage	Store in a well-ventilated place. Keep container tightly closed.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.

Category 1

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Category 1A

Category 2 (Lung)

None known

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number %
Quartz	14808-60-7 60-75
Portland Cement	65997-15-1 15-25
Composition comments	All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are percent by volume.
4. First-aid measures	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medic advice/attention if you feel unwell.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. If skin irritation rash occurs: Seek medical attention. Wash contaminated clothing before reuse.
Eye contact Ingestion	Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Rash. Coughing. Irritant effects. Symptoms may include stinging, tearing, redness, swelling, a blurred vision. Permanent eye damage including blindness could result. Prolonged exposure may cause chronic effects.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are av of the material(s) involved, and take precautions to protect themselves. Wash contaminated c before reuse.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Use fire-extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	None known.
Specific hazards arising from he chemical	During fire, hazardous combustion products are released that may include: Carbon oxides (Co
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.
6. Accidental release meas	sures
Paraanal procesticne	Keen unnecessory personnel away. Weer enprenriate protective equipment and elething duri

Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Sweep or vacuum material and place in a disposal container. Dispose of unwanted material properly in accordance with all local, regional, national and international regulations.
Environmental precautions	Avoid discharge into drains, water course or onto the ground.
7. Handling and storage	
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Do not get this material in contact with eyes. Avoid contact with eye, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in original tightly closed container. Store in a well-ventilated place.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

	Туре	Value	Form
Portland Cement (CAS 65997-15-1)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
US. OSHA Table Z-3 (29 CF	FR 1910.1000)		
Components	Туре	Value	Form
Portland Cement (CAS 65997-15-1)	TWA	50 mppcf	
Quartz (CAS 14808-60-7)	TWA	0.3 mg/m3 0.1 mg/m3 2.4 mppcf	Total dust. Respirable. Respirable.
US. ACGIH Threshold Limi	t Values		
Components	Туре	Value	Form
Portland Cement (CAS 65997-15-1)	TWA	1 mg/m3	Respirable fraction.
Quartz (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Quartz (CAS 14808-60-7) US. NIOSH: Pocket Guide 1		0.025 mg/m3	Respirable fraction.
· · · · · · · · · · · · · · · · · · ·		0.025 mg/m3 Value	Respirable fraction.
US. NIOSH: Pocket Guide to Components Portland Cement (CAS	to Chemical Hazards	C C	
US. NIOSH: Pocket Guide t	to Chemical Hazards Type	Value 5 mg/m3 10 mg/m3	Form
US. NIOSH: Pocket Guide to Components Portland Cement (CAS	to Chemical Hazards Type	Value 5 mg/m3	Form Respirable.
US. NIOSH: Pocket Guide 1 <u>Components</u> Portland Cement (CAS 65997-15-1)	to Chemical Hazards Type TWA	Value 5 mg/m3 10 mg/m3 0.05 mg/m3 r the ingredient(s).	Form Respirable. Total Respirable dust.
US. NIOSH: Pocket Guide f <u>Components</u> Portland Cement (CAS 65997-15-1) Quartz (CAS 14808-60-7) logical limit values	to Chemical Hazards Type TWA TWA No biological exposure limits noted for Occupational exposure to nuisance du	Value 5 mg/m3 10 mg/m3 0.05 mg/m3 r the ingredient(s). ust (total and respirable) and respirable) and respirable and res	Form Respirable. Total Respirable dust.

Individual protection measures, such as personal protective equipment

Eye/face protection Skin protection	Wear	safety	glasses	with	side	shields	or	goggles
Hand protection	Wear prote	ective gloves.						
Skin protection Other	Wear chen	nical resistan	t clothing.					
Respiratory protection	Wear a du	st mask if an	exposure limit	is exceede	d, or when	dust causes d	iscomfor	or irritation.
Thermal hazards	Not availat	ole.						
General hygiene considerations	When usin	g, do not eat	ed areas conta , drink, or smol ent products, it	ke. Wash a	gain at the	end of work. If	clothing	

9. Physical and chemical properties

Appearance	
Physical state	Solid.
Form	Powder
Color	Gray/white.
Odor	Odorless.
Odor threshold	Not available.
рН	Not available
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explo	osive limits
Flammability limit – lower (%)	Not available.
Flammability limit – upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	2.5
Solubility (ies)	
Solubility (water)	Miscible.
Partition coefficient	Not available.
(n-octanol/water)	
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
VOC (Weight %)	0%

10. Stability and reactivity

Reactivity Chemical	The product is stable and non-reactive under normal conditions of use, storage and transport.
stability Possibility of	Material is stable under normal conditions.
hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials. Moisture.
Incompatible materials	Powerful oxidizers. Chlorine. Mineral acid.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Dust may cause respiratory tract irritation. Cause damage to organs through prolonged or repeated exposure.
Skin contact	Causes skin irritation. May cause an allergic skin reaction. Prolonged contact with wet cement/mixture may cause burns.
Eye contact Ingestion	Causes serious eye damage. Prolonged contact with wet cement/mixture may cause burns.
Symptoms related to the	Swallowing may cause gastrointestinal irritation.
physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Dusts may irritate the respiratory tract, skin and eyes. Coughing. Discomfort in the chest. Shortness of breath. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity	May cause respiratory irritation. May cause an allergic skin reaction.
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/eye irritation	Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization	No data available.
Skin sensitization	May cause an allergic skin reaction.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	May cause cancer by inhalation of dust.

IARC Monographs. Overall Evaluation of Carcinogenicity

U .	
Quartz (CAS 14808-60-7)	1 Carcinogenic to humans.
NTP Report on Carcinogens	
Quartz (CAS 14808-60-7)	Known To Be Human Carcinogen.
OSHA Specifically Regulated Su	bstances (29 CFR 1910.1001-1050)
Not regulated.	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	May cause respiratory irritation.
Specific target organ toxicity - repeated exposure	May cause damage to organs (Lung) through prolonged or repeated exposure.

Aspiration hazard	Not an aspiration hazard.
Chronic effects	May cause damage to organs through prolonged or repeated exposure. Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous.

Persistence and degradability	No data is available.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	Not available.

13. Disposal considerations

Disposal instructions	Dispose of contents/container in accordance with local/regional/national/international regulations. Do not contaminate ditches or waterways with chemicals or used container.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories SARA 302 Extremely hazardous	Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No substance
	Not listed.
SARA 311/312 Hazardous chemical	Yes
CADA 242 (TDI reporting)	

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Portland Cement (CAS 65997-15-1) Quartz (CAS 14808-60-7)

- US. New Jersey Worker and Community Right-to-Know Act Portland Cement (CAS 65997-15-1) Quartz (CAS 14808-60-7)
- US. Pennsylvania Worker and Community Right-to-Know Law Portland Cement (CAS 65997-15-1) Quartz (CAS 14808-60-7)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance Quartz (CAS 14808-60-7)

16. Other information, including date of preparation or last revision

Issue date	16-April-2018
Revision date	-
Version #	01
HMIS® ratings	Health: 3* Flammability: 0 Physical hazard: 0
NEDA (1	

NFPA ratings



Disclaimer

The information provided is without warranty, representation, inducement or license of any kind; except that it is accurate to the best of company knowledge, or obtained from sources believed by the company to be accurate.